



# Magnesium Hydroxide - MDH **Premium Fire Retardant**

CAS: 1309-42-8

Pack sizes: 1kg, 25kgs

## **Lab Line Enterprises**

(An ISO 9001:2015 certified company)

WhatsApp: +91 7738642178

Email: contact.labline@gmail.com

Web: www.lablinechem.com



This information is only for marketing and sales purpose by Lab Line Enterprises, No association or endorsement with Manufacturing brand their logos, trademarks and other intellectual property claimed. Buyer assumes all responsibility. Seller not liable for product use or claims Verify product suitability before purchase 9001:2015









### **Chemical Properties**

- Chemical Formula: Mg(OH)<sub>2</sub>
- Molecular Weight: 58.32 g/mol
- Decomposition Temperature: >350°C
- Appearance: White powder

#### **Key Benefits**

- Halogen-free and environmentally safe
- Effective smoke suppression
- High thermal stability
- Compatibility with various polymers









#### **Applications**

- Wire and cable insulation
- Thermoplastics and thermosets
- Rubber products
- Coatings and adhesives
- Construction materials

#### **Recommended Dosage**

- Typically 30%–60% by weight
- Varies based on application and desired flame retardancy





To know more and purchase:

# Lab Line Enterprises

(An ISO 9001:2015 certified company)

WhatsApp: +91 7738642178

Email: contact.labline@gmail.com

Email: info@lablinechem.com

Web: www.lablinechem.com



This information is only for marketing and sales purpose by Lab Line Enterprises, No association or endorsement with Manufacturing brand, their logos, trademarks and other intellectual property claimed. Buyer assumes all responsibility. Seller not liable for product use or claims. Verify product suitability before purchase.